

PGZTO

Live Smart Enjoy Pure Comfort

www.pgzto.com

Guangzhou Yuetu Technology Development Co., Ltd

WhatsApp : 8618923446926

Email : gavin@pgzto.com



PGZTO

Live Smart Enjoy Pure Comfort



CERTIFICATION

All designs are independently developed, we have more than 200 patent certificates. Our products have passed professional quality certifications such as Watermark, CE, CUPC, SAA, ISO, ETL etc.

We won the honorary title of Chaozhou's top ten smart toilet brands. Providing value and service to customers is our goal and mission in the industry.

EN1717 EN13077



COLORFUL AMBIENT LIGHT

Colorful lights the new trend
of technology

Nine safety precautions



Leakage
Protection



Low Pressure
Protection



Water And
Electricity Separation



Pressure Relief
Protection



IPX4
Waterproof



Flame Retardant
Protection



Wind Temperature
Overheat Protection



Water Temperature
Overheat Protection



Seat
Overheat Protection



ONE BUTTON KNOB

Ergonomically designed
Knobs at your fingertips

Knob operation details

Clockwise rotation
Female washing function



Rotate counterclockwise
Hip washing function



Press and hold the knob
On/off



Short press the knob
Drying (seated state)
Flushing (not seated)



OPEN UNIVERSAL

Common functions

Female washing
Hip cleaning
Moving washing
Self-cleaning nozzle
One click stop
Nozzle adjustment

Auto-flushing
Flushing during power outage
Mute close
Night light
Leakage protection
Energy saving

Water heated instantly
Seat induction
Seat heating
Warm air drying
Drying air temperature adjustment
Water temperature adjustment
Seat temperature adjustment
Water pressure adjustment
12V safety voltage

Double filtration
One button control
Easy-to-clean glaze
Flame retardant material
Antibacterial seat
Remote control
LED screen
Massage washing
Baby/Child washing



WHISPERS OF LIGHT AND INTELLIGENCE

Filling experiences with delightful surprises


Here, technology is no longer just cold specifications, nor is light merely a tool for illumination. The two blend into a tangible and palpable comfort.



Certification



Dimension drawing (size:mm)



PZ-E6E

Colour:	White
Size:	680x410x480/520mm
S-trap:	200/250/300mm
Rating:	AC 110V/220V,50Hz/60Hz
Water pressure:	≥ 0.75Mpa (static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

Configurations

Power outage flush	Night lighting
Hip cleaning	Soft close
Warm air drying	Mobile cleaning
Built-in perfume	Ambient Light
Foot touch open seat	LED display screen
Foot touch flushing	IPX4 waterproof
Instant heating	Water pressure regulation
Pre-filtering	Lid-closed flush
Air temperature regulation	Female cleaning
Auto flushing	Spray wand self-cleaning
Water temperature regulation	Leakage protection
Seat temperature regulation	Automatic opening



Remote Control



Tech-sense Ambient Light

Add a touch of romance,
Make the atmosphere perfect



Automatic sensing

When you approach to the toilet, the
cover will open automatically; When
you leave, it will flush automatically
and close the cover softly .



Built in bubble function

Bubble liquid evenly cover the entire
surface of the toilet,Provides better
splash, odor, and lubrication



Foot touch sensing

Foot touch open the seat ring
for men use, resist urine splashing
Antibacterial and splash proof,
no need to bend over, free hands.

OUTLINE PURE TEXTURE

Maximize the Expression of Minimalist Aesthetics


The overall shape is crafted with simple and smooth lines, free from redundant decorations. Every detail is carefully polished, as natural and smooth as flowing clouds and water, bringing a pure and clean visual enjoyment to the bathroom space



Certification



Dimension drawing (size:mm)



PZ-E5E

Colour:	White
Size:	680x390x490/530mm
S-trap:	200/250/300mm
P-trap:	180mm
Rating:	AC 110V/220V,50Hz/60Hz
Water pressure:	≥ 0.75Mpa (static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

Configurations

Power outage flush	Night lighting
Hip cleaning	Soft close
Warm air drying	Mobile cleaning
Built-in perfume	Ambient Light
Foot touch open seat	LED display screen
Foot touch flushing	IPX4 waterproof
Instant heating	Water pressure regulation
Pre-filtering	Lid-closed flush
Air temperature regulation	Female cleaning
Auto flushing	Spray wand self-cleaning
Water temperature regulation	Leakage protection
Seat temperature regulation	Automatic opening




Remote Control



Built in bubble function
Bubble liquid evenly cover the entire surface of the toilet,Provides better splash, odor, and lubrication



Built-in perfume
Releases the aromatic fragrance, alleviates the residual odor from continuous use by multiple users, prevents awkward moments



Spray wand UV sterilization
After the toilet is closed, the spray wand automatically extends to sterilize itself



Built-in toilet cleaner
Effectively maintains toilet and tank cleanliness like new, minimizing stain residue. Each flush delivers a thorough cleaning

EXQUISITE DESIGN DETAILS


It is not only meeting the daily needs, but also adding unique charm to your living space through the delicate design language, let every use becomes an exploration and enjoyment of beauty.



Certification



Dimension drawing (size:mm)



Smart temperature
Automatically sense the surrounding environment to adjust the seat ring/ air /water Make your four seasons as comfortable as spring



UV Water sterilization
UV sterilization ensures long-lasting purification, making every drop of water skin-friendly and clean. Using filtered water brings more peace of mind.

PZ-Y2E

Colour:	White
Size:	720x455x490mm
S-trap:	300mm
Rating:	AC 110V/220V,50Hz/60Hz
Water pressure:	≥ 0.75Mpa(static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

Configurations

Power outage flush	Foot touch open seat
Hip cleaning	Night lighting
Warm air drying	Soft close
Built-in perfume	Mobile cleaning
Lid-closed flush	Baffle-free design
Foot touch flushing	Built-in foot sensor
Instant heating	IPX4 waterproof
Pre-filtering	Water pressure regulation
Air temperature regulation	LED display screen
Automatic opening	Female cleaning
Auto flushing	Spray wand self-cleaning
Water temperature regulation	Leakage protection
Seat temperature regulation	Ambient Light
Quiet Flush	



Remote Control



Cleaning range can be adjusted
Increase the cleaning space, no need to clean repeatedly , with softness and strength , temperature, intensity, different gears regulation.



2 User memory
help user to set the data into system

DREAMY COLOR ENCOUNTER

Egg-shaped design, round and comfortable

The ingenious integration of dreamy colors and elegant egg-shaped design into the product, not only gives the product a unique personality and charm, but also brings you pleasant visual enjoyment in daily life.




- Beige
- Pink
- Yellow
- Black
- Blue

Certification



Video QR code

Dimension drawing (size:mm)



PZ-964E

Colour:	White
Size:	715x480x570mm
S-trap:	250/300mm
P-trap:	180mm
Rating:	AC 110V/220V,50Hz/60Hz
Water pressure:	≥ 0.75Mpa (static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

Configurations

Power outage flush	Quiet Flush
Hip cleaning	Night lighting
Warm air drying	Soft close
Child cleaning	Mobile cleaning
Massage cleaning	Lid-closed flush
Foot touch flushing	Built-in foot sensor
Instant heating	IPX4 waterproof
Pre-filtering	Water pressure regulation
Air temperature regulation	Automatic opening
Menstrual care	Female cleaning
Auto flushing	Spray wand self-cleaning
Water temperature regulation	Leakage protection
Seat temperature regulation	Foot sensing open seat



Remote Control




Automatic opening

Automatic opening when people are close to the toilet.
No need to bend over and open the cover by hand



Spray wand sterilization

After the toilet cover is closed, the spray wand automatically extends to sterilize itself



HD LED Screen display

Circular arc display, high-definition digital display, real-time observation function



PZ-945E

Colour: White
Size: 700x430x490/530mm
S-trap: 200/250/300mm
P-trap: 180mm
Rating: AC 110V/220V,50Hz/60Hz
Water pressure: ≥ 0.75Mpa (static pressure)
Protection sign: IPX4
Flushing method: Siphon
Heated mode: Instant heating


Configurations

Power outage flush	Soft close
Hip cleaning	Mobile cleaning
Warm air drying	Lid-closed flush
Built-in perfume	LED display screen
Foot sensing flushing	IPX4 waterproof
Instant heating	Water pressure regulation
Pre-filtering	Automatic opening
Air temperature regulation	Female cleaning
Auto flushing	Spray wand self-cleaning
Water temperature regulation	Leakage protection
Seat temperature regulation	Foot sensing open seat
Night lighting	

Certification



Dimension drawing (size:mm)



Remote Control



LED display

LED display Displays the running status of each function



Multi knob

Dynamic extension type
atmosphere lamp design
Strong sense of science and
technology



Foot sensing

When people approach the toilet,
the cover will be automatically
open , and the seat will be open
by foot sensing. You can switch
the cover opening mode to foot
sensing



PZ-956E

Colour: White
Size: 700x430x490/530mm
S-trap: 200/250/300mm
P-trap: 180mm
Rating: AC 110V/220V,50Hz/60Hz
Water pressure: ≥ 0.75Mpa (static pressure)
Protection sign: IPX4
Flushing method: Siphon
Heated mode: Instant heating

Configurations


Power outage flush	Night lighting
Hip cleaning	Soft close
Warm air drying	Mobile cleaning
Child cleaning	Lid-closed flush
Foot sensing flushing	LED display screen
Instant heating	IPX4 waterproof
Pre-filtering	Water pressure regulation
Air temperature regulation	Automatic opening
Off-seated flushing	Female cleaning
Water temperature regulation	Spray wand self-cleaning
Seat temperature regulation	Leakage protection
Quiet Flush	Foot sensing open seat

Certification



Video QR code

Dimension drawing (size:mm)



Remote Control



Child Seat

Adult Seat

Dual toilet seat

The dual toilet seat (adult & child seat),
the child seat is easily detachable,
making it family-friendly for household use.



2 Users memory

- Custom 1
Touch to start a custom Rear wash.
Touch and hold for 5s to save the current
set parameters(Water Pressure|Nozzle
Position|Water Temp)
- Custom 2
Touch to start a custom Front wash.
Touch and hold for 5s to save the current
set parameters(Water Pressure|Nozzle
Position|Water Temp)
- Kids mode
Touch and hold for 5s to enter or exit
"Kids Mode"Then touch to start cleaning
of child in the Kids Mode.



Cover lamp UV sterilization


Ultraviolet light produces ozone
through the ionization of oxygen in
the air to strengthen the bactericidal
effect



California CEC
Certification (USA)



CUPC Waterway
Safety Certification



ETL Circuit
Safety Certification



PZ-2214

SMART ONE-PIECE TOILET

SIZE: 680X415X530mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Mini Cistern Instant Heating

RATED VOLTAGE: 110V-220V

COLOR: White

PZ-2214B (Foot Touch Flushing)

MAIN FUNCTION

LED
DISPLAY

Foot
Touch
Flushing


- Hip Washing
- Bidet Washing
- Moving Massage
- Self-Cleaning Nozzle
- Night Light
- Warm Wind Drying
- Foot Touch Flushing
- LED Display
- Power Outage Flushing
- Adjustable Seat Temperature
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Electrical Leakage Protection



DOE

CEC

DIMENSIONAL DRAWING



PZ-2214C (Automatic Cover)

MAIN FUNCTION

LED
DISPLAY

AUTOMATIC
COVER

- Hip Washing
- Bidet Washing
- Moving Massage
- Self-Cleaning Nozzle
- Night Light
- Warm Wind Drying
- LED Display
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Power Outage Flushing
- Adjustable Seat Temperature
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Electrical Leakage Protection






**California CEC
Certification (USA)**



**CUPC Waterway
Safety Certification**



**ETL Circuit
Safety Certification**



PZ-2208

SIZE: 680X420X520mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V~220V

COLOR: White

PZ-2208B (Feet Sensor)



MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Warm Wind Drying
- Strong-Soft Massage
- Moving Massage
- Self-Cleaning Nozzle
- Soft Night Light
- Remote Control
- Feet Sensor Flushing
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Power Outage Flushing
- Electrical Leakage Protection
- Side Buttons
- LED Display
- Kids Washing Mode

PZ-2208C (Automatic Cover)



MAIN FUNCTION



- Bidet Washing
- Hip Washing
- Warm Wind Drying
- Strong-Soft Massage
- Moving Massage
- Self-Cleaning Nozzle
- Soft Night Light
- Remote Control
- Kids Washing Mode
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Power Outage Flushing
- Electrical Leakage Protection
- Side Buttons
- LED Display



DOE

CEC

DIMENSIONAL DRAWING





California CEC
Certification (USA)



CUPC Waterway
Safety Certification



ETL Circuit
Safety Certification



PZ-2209

SIZE: 670X380X510mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300MM

HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V-220V

COLOR: White

PZ-2209B (Feet Sensor)



MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Defecation Assist
- Warm Wind Drying
- Kids Washing Mode
- Moving Massage
- Auto Flushing
- Remote Control
- ECO Mode
- Feet Sensor Flushing
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Stainless Self-Cleaning Nozzle
- Power Outage Flash Memory
- Electrical Leakage Protection
- Soft Night Light
- Double Filter
- IPX4 Water Proof Cover

PZ-2209C (Automatic Cover)



MAIN FUNCTION


- Bidet Washing
- Hip Washing
- Defecation Assist
- Warm Wind Drying
- Kids Washing Mode
- Moving Massage
- Auto Flushing
- Remote Control
- ECO Mode
- Auto Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Stainless Self-Cleaning Nozzle
- Power Outage Flash Memory
- Electrical Leakage Protection
- Soft Night Light
- Double Filter
- IPX4 Water Proof Cover




DOE

CEC

DIMENSIONAL DRAWING






**California CEC
Certification (USA)**



**CUPC Waterway
Safety Certification**



**ETL Circuit
Safety Certification**



PZ-2213

SIZE: 670X380X490mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V-220V

PZ-2213B (Feet Sensor)




MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Moving Massage
- Warm Wind Drying
- Self-Cleaning Nozzle
- Night Light
- LED Display
- Kids Mode
- Feet sensor flushing
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Power Outage Flushing
- Electrical Leakage Protection
- Strong And Soft Spraying



DIMENSIONAL DRAWING



PZ-2213C (Automatic Cover)



MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Moving Massage
- Warm Wind Drying
- Self-Cleaning Nozzle
- Night Light
- LED Display
- Kids Mode
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Power Outage Flushing
- Electrical Leakage Protection
- Strong And Soft Spraying



 Technology changes life

LIGHT INTELLIGENT TOILET



Automatic
Cover



Seat Cover
Heating



Night Light

LIGHT INTELLIGENCE A NEW ERA OF GOING TO THE TOILET

Micro electric pulse smart toilet, simple and practical functions,
everything is just right!



PZ-2215

SMART ONE-PIECE TOILET

SIZE: 680X410X460mm
MATERIAL: Ceramic Bowl & PP Cover
S-TRAP: 300/400MM P-TRAP: 180MM


HEATING MODE: Rapid Heating
RATED VOLTAGE: 110V-220V

PZ-2215C (Automatic Cover)

MAIN FUNCTION



- Bidet Washing
- Hip Washing
- Warm Wind Drying
- Self-Cleaning Nozzle
- Night Light
- Remote Control
- Moving Massage
- LED Display
- One-Key Knob
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Water Pressure
- Adjustable Nozzle Position
- Electrical Leakage Protection
- Seat Cover Heating
- Power Outage Flushing



THE SMART BATH
intelligent

DOE CEC






**California CEC
Certification (USA)**



**CUPC Waterway
Safety Certification**



**ETL Circuit
Safety Certification**



PZ-2230

SIZE: 670X380X490mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Non-Cistern Rapid Heating Type

RATED VOLTAGE: 110V-220V

COLOR: White

PZ-2230B (Feet Sensor)



MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Moving Massage
- Warm Wind Drying
- Self-Cleaning Nozzle
- Night Light
- Power Outage Flushing
- Kids Mode
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Strong And Soft Spraying
- Electrical Leakage Protection
- Feet sensor flushing

PZ-2230C (Automatic Cover)



MAIN FUNCTION


- Bidet Washing
- Hip Washing
- Moving Massage
- Warm Wind Drying
- Self-Cleaning Nozzle
- Night Light
- Kids Mode
- Electrical Leakage Protection
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Power Outage Flushing
- Strong And Soft Spraying



DOE

CEC

DIMENSIONAL DRAWING





PZ-2236-Black Rear

SIZE: 695X390X480mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM


HEATING MODE: Instant Heating

RATED VOLTAGE: 110V-220V

PZ-2236CJ-Black Rear (Automatic Cover)

MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Flush after off seat
- Night Light
- Seat Cover Heating
- Kids Mode
- Auto washing
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Power Outage Flushing
- Self-Cleaning Nozzle
- One-Key Knob
- Ultraviolet sterilization



DIMENSIONAL DRAWING

PZ-2236CJF-Black Rear (Automatic Cover)

MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Flush after off seat
- Night Light
- Seat Cover Heating
- Kids Mode
- Auto washing
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Power Outage Flushing
- Self-Cleaning Nozzle
- One-Key Knob
- Combine Tank
- Ultraviolet sterilization



DOE CEC





PZ-2236-Grey Edge

SIZE: 695X390X480mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Instant Heating

RATED VOLTAGE: 110V-220V

PZ-2236CJ-Grey Edge (Automatic Cover)

MAIN FUNCTION




- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Flush after off seat
- Night Light
- Seat Cover Heating
- Kids Mode
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Power Outage Flushing
- Self-Cleaning Nozzle
- One-Key Knob
- Auto washing

PZ-2236CJF-Grey Edge (Automatic Cover)

MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Flush after off seat
- Night Light
- Seat Cover Heating
- Kids Mode
- Auto washing
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Power Outage Flushing
- Self-Cleaning Nozzle
- One-Key Knob
- Combine Tank
- Ultraviolet sterilization



THE SMART BATH
intelligent

DOE CEC





PZ-2236-White

SIZE: 695X390X480mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Instant Heating

RATED VOLTAGE: 110V-220V


COLOR: White

PZ-2236CJ-White (Automatic Cover)

MAIN FUNCTION



- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Flush after off seat
- Night Light
- Seat Cover Heating
- Kids Mode
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Power Outage Flushing
- Self-Cleaning Nozzle
- One-Key Knob
- Auto washing



PZ-2236CJF-White (Automatic Cover)

MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Flush after off seat
- Night Light
- Seat Cover Heating
- Kids Mode
- Combine Tank
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Power Outage Flushing
- Self-Cleaning Nozzle
- One-Key Knob
- Auto washing
- Ultraviolet sterilization



THE SMART BATH
intelligent

DOE CEC



INTERTWINED LIGHT SHADOW & RIPPLES ART

Recreate the Dynamic Beauty of Nature

The soft ambient lit lights just like stars falling into the bathroom, and the ingenious water ripple design, like ripples on a lake surface, recreates the vitality of nature.



PZ-Y1E

Colour:	White
Size	720x455x530mm
S-trap:	300mm
Rating:	AC 110V/220V,50Hz/60Hz
Water pressure:	≥ 0.75Mpa(static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode.	Instant heating

Configurations

Power outage flush	Foot touch open seat
Hip cleaning	Night lighting
Warm air drying	Soft close
Built-in perfume	Mobile cleaning
Lid-closed flush	Baffle-free design
Foot touch flushing	Built-in foot sensor
Instant heating	IPX4 waterproof
Pre-filtering	Water pressure regulation
Air temperature regulation	LED display screen
Automatic opening	Female cleaning
Auto flushing	Spray wand self cleaning
Water temperature regulation	Leakage protection
Seat temperature regulation	Ambient Light
Quiet Flush	




Remote Control

Certification




Dimension drawing (size:mm)



Smart temperature

Automatically sense the surrounding environment to adjust the seat ring/ air /water Make your four seasons as comfortable as spring




Massage cleaning

Stimulating and massaging through changes in water pressure makes it easier for users to defecate



UV Water sterilization

JV sterilization ensures long lasting purification making every drop of water skin-friendly and clean Using filtered water brings more peace of mind



Cleaning range can be adjusted

Increase the cleaning space, no need to clean repeatedly , with softness and strength , temperature, intensity, different gears regulation



PZ-2240

SIZE: 685X405X465mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Instant Heating

RATED VOLTAGE: 110V-220V

PZ-2240B (Feet Sensor)

MAIN FUNCTION



- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Night Light
- One-Key Knob
- Kids Mode
- Feet sensor flushing
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Self-Cleaning Nozzle
- Strong-Soft Massage
- Hot & cold massage


PZ-2240C (Automatic Cover)

MAIN FUNCTION



- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- LED Display
- Moving Massage
- Night Light
- One-Key Knob
- Kids Mode
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Adjustable Water Pressure
- Electrical Leakage Protection
- Self-Cleaning Nozzle
- Strong-Soft Massage
- Hot & cold massage

DIMENSIONAL DRAWING





PZ-2240-White



PZ-2240-Black



PZ-2308

SIZE: 670X405X460mm

MATERIAL: Ceramic Bowl & PP Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Rapid Heating

RATED VOLTAGE: 220V

PZ-2308B (Feet Sensor Flushing)

MAIN FUNCTION




- Bidet Washing
- Hip Washing
- Warm Wind Drying
- LED Display
- Self-Cleaning Nozzle
- Night Light
- Remote Control
- One-Key Knob
- ECO Mode
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Electrical Leakage Protection
- Power Outage Flushing
- Seat Cover Heating
- Feet Sensor Flushing

PZ-2308C (Automatic Cover)

MAIN FUNCTION



- Bidet Washing
- Hip Washing
- Warm Wind Drying
- LED Display
- Self-Cleaning Nozzle
- Night Light
- Remote Control
- One-Key Knob
- ECO Mode
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Electrical Leakage Protection
- Power Outage Flushing
- Seat Cover Heating





PZ-S7CS-Silver



PZ-S7CS-White



PZ-S7CS-Rose Gold

PZ-S7CS (Automatic Cover)

SMART ONE-PIECE TOILET

SIZE: 690X400X510mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM


HEATING MODE: Instant Heating

RATED VOLTAGE: 110V-220V

MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- Night Light
- Seat Cover Heating
- Moving Washing
- One-Key Knob
- Kids Mode
- Hot & cold massage
- Combine Tank
- Nozzle Replacement
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Water Pressure
- Self-Cleaning Nozzle
- Power Outage Flushing
- Electrical Leakage Protection
- Adjustable Nozzle Position
- Strong-Soft Massage
- LED Display
- Full-Area Seat Detection

CSA





PZ-W02C

SMART ONE-PIECE TOILET

SIZE: 700X405X460mm

MATERIAL: Ceramic Bowl & ABS Cover

S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Instant Heating

RATED VOLTAGE: 110V-220V

COLOR: White

PZ-W02C (Automatic Cover)


MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Remote Control
- Warm Wind Drying
- Night Light
- Seat Cover Heating
- Moving Washing
- One-Key Knob
- Hd Dual Display
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Water Pressure
- Self-Cleaning Nozzle
- Power Outage Flushing
- Electrical Leakage Protection
- Overall Atmosphere Lighting




DOE CEC

DIMENSIONAL DRAWING



California CEC
Certification (USA)





California CEC
Certification (USA)



PZ-W11CH-White




PZ-W11CH-Rear Grey

PZ-W11 (Automatic Cover)

SMART ONE-PIECE TOILET

SIZE: 700X430X460mm
MATERIAL: Ceramic Bowl & PP Cover
S-TRAP: 300/400MM P-TRAP: 180MM

HEATING MODE: Instant Heating
RATED VOLTAGE: 110V-220V



DIMENSIONAL DRAWING

MAIN FUNCTION

- Bidet Washing
- Hip Washing
- Warm Wind Drying
- LED Display
- Self-Cleaning Nozzle
- Night Light
- Remote Control
- Seat Cover Heating
- Spiral pulse cleaning
- Hot & cold massage
- Kids Mode
- Used memory
- Auto Open/Close Cover & Feet Sensor Open/Close Cover & Remote Controlled Open/Close Cover
- Adjustable Water Temperature
- Adjustable Drying Temperature
- Adjustable Seat Temperature
- Adjustable Nozzle Position
- Water Pressure Adjusting
- Electrical Leakage Protection
- Power Outage Flushing
- Moving Washing
- Overall Atmosphere Lighting
- Atomizing Aromatherapy
- Blue bubble entrance



DOE
CEC

